

D540



01



PERMANENT ACCESS TO PRODUCTS

Vending machines operate 24h a day 7 days a week, providing access to the products, regardless of working hours of the warehouse.

02



PERSONALIZATION OF COLLECTION LIMITS

Thanks to the possibility of assigning each worker to a dedicated product limits, the system gives the possibility of full control of PPE releases depending on the workstation.

03



FULL RELEASE EVIDENCE

Thanks to the connection of vending machine with data server, system administrator has immediate access to the distribution data and on-going quantities of products in the machines in real time. Administrator Panel allows operator to review and generate a series of reports containing the data filtered due to the employee or the departments in the company. System also offers possibility of exporting these data to a spreadsheet or directly files compatible with accounting programs.

04



ADJUSTABLE SHELVES

Product shelves come in four sizes, providing machine capacity from 135 up to 540 products. Dimensions of shelves could be, within a short period of time, easily rearranged during machines' operation.

05



COOPERATION WITH MANY TYPES OF CARDS

The users' interface is equipped with a card reader that supports most of all standard contactless cards available on the market. There is also the possibility of integration with custom solutions.

06



PRODUCT SCANNING SYSTEM

The machine can optionally be equipped with an innovative system of drum scanning to detect new products after loading. This solution reduces to a minimum charging time.

07



MULTIPLE NETWORK INTERFACES

Depending on the network infrastructure of the building in which the machine is working, we can connect it to the data server by:

- Ethernet
- Wi-Fi
- GSM modem

D540 DISTRIBUTOR

Thanks to a unique technological solutions the usage of our **D540** vending machine solves many problems with distribution of products such as protective gloves, safety glasses, ear plugs, respirators and much more for workers.

Full control over the distribution of personal protective equipment cause a decrease in consumption of these articles even above the level of 50%.

The solution offered by us is wholly developed and delivered by our company. Thanks to this we are able to offer the possibility of integration of our system with any other systems. All the data can be passed to the application already working at our client. We also provide full support during integration, deployment and operation of our system.

TECHNICAL DATA

Dimensions (mm)

Height	1915
Width	805
Depth	790

Capacity (one type shelf)

140 x 180 mm	135
140 x 90 lub 70x180 mm	270
70 x 90 mm	540

Shelf dimensions (mm)

Height	180 lub 90
Depth	140 lub 70

Other

Operating temperature (°C)	5 - 40
Weight (kg)	200
Power (Watt)	standby - 15 / when distributing - 150
Tension (V)	230 / 1A



© D540

ASD Systems